

Federal Communications Commission

Hearing Aid Compatibility Status Report (FCC Form 655)

Reporting Period: January 1, 2013 - December 31, 2013 Filing Confirmation Number: 0006099580

Filing Deadline: January 15, 2014 FRN: 0016344368

Filing Date: 01/14/2014 02:26 PM

General Report Information

Type of Company

Service Provider

De Minimis Exception

Did you offer any handsets to subscribers in the United States during the reporting period? Yes

Have you been offering handsets in the United States for at least three years prior to the end of the reporting period?

Date that you began offering handsets in the United States 01/11

Are you a small entity? Yes

Were you a small entity at any time during the three years prior to the end of the reporting period?

Date that you ceased to be a small entity?

Company Information

Company Name: Easy Telephone Services Company

Brand Names: Easy Wireless

PO Box:

Street Address: 4352 SE 95th Street

City: Ocala State: FL Zip Code: 34480

Contact Name: Tina Allen Contact Phone: (352) 233-2717 Contact Fax: (352) 233-2724

Contact Email: tallen@telecomservicebureau.com

Filing Agent

Is this report being filed by an agent on behalf of a manufacturer or service provider? No

Product Labeling

Do all hearing aid-compatible handsets include labeling? Yes

Explain:

Do all hearing aid-compatible handsets that are capable of voice communication over any air interface or frequency

band that does not have hearing aid compatibility technical standards under ANSI C63.19-2007 include the required language disclosing that the handset has not been rated for hearing aid compatibility with respect to such operations? Yes

Explain:

Do all hearing aid-compatible handsets that the manufacturer also tested and found not to meet hearing aid compatibility requirements under ANSI C63.19-2011 for one or more operations that are not covered under ANSI C63.19-2007, include language informing users by clear and effective means that the handset does not meet the relevant rating or ratings with respect to such operation(s)?

N/A

Explain:

Do all handsets that are capable of use for Voice over LTE, and that were certified for inductive coupling capability under ANSI C63.19-2011 without being tested for inductive coupling capability over VoLTE, include language disclosing that they were not tested with respect to this operation?

N/A

Explain:

Do all handsets that meet the criteria for an M3 rating by allowing the user to reduce the maximum power for GSM operation in the 1900 MHz band include the required disclosure?

Explain:

Public Website

Does your company maintain a public website describing all hearing aid-compatible models, the ratings of those models, and an explanation of the rating system? Yes

Website address: www.myeasywireless.com

Explain:

Consumer Outreach

Describe consumer outreach efforts in the past 12 months: Customers can obtain new service by calling the company customer service number or by applying via the company website. The company has not performed local event outreach this year.

Methodology for Functionality Levels

Company used Phone Scoop, FCC ID lookup, and Manufacturer's information where available to determine the functionality of its handsets.

Report Remarks

You have reported the following handset model summary information.

Total number of handsets offered: 131

Air Interface	Fully Hea Comp Number	atible		ible Only	Non-Co Hand Number	dsets	Excluded Handsets Number	Total by Air Interface
CDMA	94	72%	37	28%				131

Handset 1: HTC A7373 (EVO Shift 4G)

Handset Maker

HTC

Handset Model Name FCC ID

A7373 (EVO Shift 4G) NM8PG06100

Air Interfaces/Frequency Bands

850 MHz CDMA 1900 MHz CDMA

Dates

This handset model was offered from: 11/13 to 11/13

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M4 & T3 Compatibility

Remarks

Handset 2: HTC Hero A6277

Handset Maker

HTC

Handset Model Name FCC ID

Hero A6277 NM8HOT

Air Interfaces/Frequency Bands

850 MHz CDMA 1900 MHz CDMA

Dates

This handset model was offered from: 01/13 to 12/13

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M3 & T3 Compatibility

Remarks

Handset 3: HTC S511

Handset Maker

HTC

Handset Model Name FCC ID

S511 NM8CEDA200

Air Interfaces/Frequency Bands

850 MHz CDMA 1900 MHz CDMA

Dates

This handset model was offered from: 01/13 to 10/13

Ratings

M-Rating: M3

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M3 & T3 Compatibility

Remarks

Handset 4: Kyocera E4210 (DuraCore)

Handset Maker

Kyocera

Handset Model Name FCC ID

E4210 (DuraCore) V65E4210

850 MHz CDMA 1900 MHz CDMA

Dates

This handset model was offered from: 07/13 to 10/13

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M4 & T4 Compatibility

Remarks

Handset 5: Kyocera E4255 (DuraMax)

Handset Maker

Kyocera

Handset Model Name FCC ID

E4255 (DuraMax) V65E4255

Air Interfaces/Frequency Bands

850 MHz CDMA 1900 MHz CDMA

Dates

This handset model was offered from: 02/13 to 12/13

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M4 & T4 Compatibility

Remarks

Handset 6: Kyocera E4277 (DuraXT)

Handset Maker

Kyocera

Handset Model Name FCC ID

E4277 (DuraXT) V65E4255

Air Interfaces/Frequency Bands

850 MHz CDMA 1900 MHz CDMA

Dates

This handset model was offered from: 06/13 to 12/13

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M4 & T4 Compatibility

Remarks

Handset 7: Kyocera M2000

Handset Maker

Kyocera

Handset Model Name FCC ID

M2000 OVF-K4801

850 MHz CDMA 1900 MHz CDMA

Dates

This handset model was offered from: 02/13 to 02/13

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M4 & T4 Compatibility

Remarks

Handset 8: Kyocera S1310

Handset Maker

Kyocera

Handset Model Name FCC ID

S1310 OVF-K33BIC04

Air Interfaces/Frequency Bands

850 MHz CDMA 1900 MHz CDMA

Dates

This handset model was offered from: 06/13 to 12/13

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M4 & T4 Compatibility

Remarks

Handset 9: Kyocera S2100 Luno

Handset Maker

Kyocera

Handset Model Name FCC ID

S2100 Luno OVF-K5501

Air Interfaces/Frequency Bands

850 MHz CDMA 1900 MHz CDMA

Dates

This handset model was offered from: 01/13 to 03/13

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M4 & T4 Compatibility

Remarks

Handset 10: Kyocera S2300 (Loft)

Handset Maker

Kyocera

Handset Model Name	FCC ID

S2300 (Loft) OVF-K5301

850 MHz CDMA 1900 MHz CDMA

Dates

This handset model was offered from: 02/13 to 02/13

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M4 & T4 Compatibility

Remarks

Handset 11: LG 125

Handset Maker

LG

Handset Model Name FCC ID

125 BEJLX125

Air Interfaces/Frequency Bands

850 MHz CDMA 1900 MHz CDMA

Dates

This handset model was offered from: 01/13 to 04/13

M-Rating: M3

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M3 Compatibility

Remarks

Handset 12: LG 230

Handset Maker

LG

Handset Model Name FCC ID

230 BEJLG231C

Air Interfaces/Frequency Bands

850 MHz CDMA 1900 MHz CDMA

Dates

This handset model was offered from: 02/13 to 03/13

Ratings

M-Rating: M4

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M4 Compatibility

Remarks

Handset 13: LG 265 (Rumor2)

Handset Maker

LG

Handset Model Name FCC ID

265 (Rumor2) BEJAX265

850 MHz CDMA 1900 MHz CDMA

Dates

This handset model was offered from: 01/13 to 12/13

Ratings

M-Rating: M3

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M3 & T4 Compatibility

Remarks

Handset 14: LG 350

Handset Maker

LG

Handset Model Name FCC ID

350 BEJLX350

Air Interfaces/Frequency Bands

850 MHz CDMA 1900 MHz CDMA

Dates

This handset model was offered from: 03/13 to 03/13

M-Rating: M3

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M3 Compatibility

Remarks

Handset 15: LG 550

Handset Maker

LG

Handset Model Name FCC ID

550 BEJLX550

Air Interfaces/Frequency Bands

850 MHz CDMA 1900 MHz CDMA

Dates

This handset model was offered from: 01/13 to 01/13

Ratings

M-Rating: M4

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M4 Compatibility

Remarks

Handset 16: LG 670

Handset Maker

LG

Handset Model Name FCC ID

670 BEJLS670

850 MHz CDMA 1900 MHz CDMA

Dates

This handset model was offered from: 05/13 to 06/13

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M4 & T4 Compatibility

Remarks

Handset 17: LG LN240 (Remarq)

Handset Maker

LG

Handset Model Name FCC ID

LN240 (Remarq) BEJLN240

Air Interfaces/Frequency Bands

850 MHz CDMA 1900 MHz CDMA

Dates

This handset model was offered from: 01/13 to 12/13

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M4 & T4 Compatibility

Remarks

Handset 18: LG LN272 (Rumor Reflex)

Handset Maker

LG

Handset Model Name FCC ID

LN272 (Rumor Reflex) ZNFAN272

Air Interfaces/Frequency Bands

850 MHz CDMA 1900 MHz CDMA

Dates

This handset model was offered from: 06/13 to 07/13

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M4 & T4 Compatibility

Remarks

Handset 19: LG LN510 (Rumor Touch)

Handset Maker

LG

Handset Model Name FCC ID

LN510 (Rumor Touch) BEJLN510

850 MHz CDMA 1900 MHz CDMA

Dates

This handset model was offered from: 01/13 to 12/13

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M4 & T4 Compatibility

Remarks

Handset 20: LG LS670 (Optimus S)

Handset Maker

LG

Handset Model Name FCC ID

LS670 (Optimus S) BEJLS670

Air Interfaces/Frequency Bands

850 MHz CDMA 1900 MHz CDMA

Dates

This handset model was offered from: 01/13 to 12/13

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M4 & T4 Compatibility

Remarks

Handset 21: LG LS696 (Elite)

Handset Maker

LG

Handset Model Name FCC ID

LS696 (Elite) ZNFLS696

Air Interfaces/Frequency Bands

850 MHz CDMA 1900 MHz CDMA

Dates

This handset model was offered from: 07/13 to 11/13

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M4 & T3 Compatibility

Remarks

Handset 22: LG LS855 (Marquee)

Handset Maker

LG

Handset Model Name FCC ID

LS855 (Marquee) BEJLS855

850 MHz CDMA 1900 MHz CDMA

Dates

This handset model was offered from: 01/13 to 01/13

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M4 & T4 Compatibility

Remarks

Handset 23: LG LX160 (Flare)

Handset Maker

LG

Handset Model Name FCC ID

LX160 (Flare) BEJLX160

Air Interfaces/Frequency Bands

850 MHz CDMA 1900 MHz CDMA

Dates

This handset model was offered from: 01/13 to 12/13

M-Rating: M4

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M4 Compatibility

Remarks

Handset 24: LG LX165

Handset Maker

LG

Handset Model Name FCC ID

LX165 BEJLX165

Air Interfaces/Frequency Bands

850 MHz CDMA 1900 MHz CDMA

Dates

This handset model was offered from: 02/13 to 02/13

Ratings

M-Rating: M4

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M4 Compatibility

Remarks

Handset 25: LG LX260 (Rumor Scoop)

Handset Maker

LG

Handset Model Name FCC ID

LX260 (Rumor Scoop) BEJLX260

850 MHz CDMA 1900 MHz CDMA

Dates

This handset model was offered from: 01/13 to 12/13

Ratings

M-Rating: M3

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M3 & T3 Compatibility

Remarks

Handset 26: LG LX265 (Rumor2)

Handset Maker

LG

Handset Model Name FCC ID

LX265 (Rumor2) BEJAX265

Air Interfaces/Frequency Bands

850 MHz CDMA 1900 MHz CDMA

Dates

This handset model was offered from: 06/13 to 12/13

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M3 & T4 Compatibility

Remarks

Handset 27: LG LX570 (Muziq)

Handset Maker

LG

Handset Model Name FCC ID

LX570 (Muziq) BEJLX570

Air Interfaces/Frequency Bands

850 MHz CDMA 1900 MHz CDMA

Dates

This handset model was offered from: 01/13 to 02/13

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M4 & T4 Compatibility

Remarks

Handset 28: LG LX600 (Lotus)

Handset Maker

LG

Handset Model Name FCC ID

LX600 (Lotus) BEJLX600

850 MHz CDMA 1900 MHz CDMA

Dates

This handset model was offered from: 01/13 to 12/13

Ratings

M-Rating: M3

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M3 & T4 Compatibility

Remarks

Handset 29: LG LX610 (Lotus Elite)

Handset Maker

LG

Handset Model Name FCC ID

LX610 (Lotus Elite) BEJLX610

Air Interfaces/Frequency Bands

850 MHz CDMA 1900 MHz CDMA

Dates

This handset model was offered from: 01/13 to 12/13

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M4 & T4 Compatibility

Remarks

Handset 30: LG M510

Handset Maker

LG

Handset Model Name FCC ID

M510 A3LSPHM510

Air Interfaces/Frequency Bands

850 MHz CDMA 1900 MHz CDMA

Dates

This handset model was offered from: 01/13 to 05/13

Ratings

M-Rating: M3

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M3 Compatibility

Remarks

Handset 31: LG VM101

Handset Maker

LG

Handset Model Name FCC ID

VM101 BEJVM101

850 MHz CDMA 1900 MHz CDMA

Dates

This handset model was offered from: 01/13 to 10/13

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M4 & T4 Compatibility

Remarks

Handset 32: LG VM670

Handset Maker

LG

Handset Model Name FCC ID

VM670 BEJVM670

Air Interfaces/Frequency Bands

850 MHz CDMA 1900 MHz CDMA

Dates

This handset model was offered from: 01/13 to 09/13

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M4 & T4 Compatibility

Remarks

Handset 33: Motorola C290

Handset Maker

Motorola

Handset Model Name FCC ID

C290 IHDT56FX1

Air Interfaces/Frequency Bands

850 MHz CDMA 1900 MHz CDMA

Dates

This handset model was offered from: 03/13 to 03/13

Ratings

M-Rating: M3

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M3 Compatibility

Remarks

Handset 34: Motorola IC402 (Blend)

Handset Maker

Motorola

Handset Model Name FCC ID

IC402 (Blend) AZ489FT7019

850 MHz CDMA 1900 MHz CDMA

Dates

This handset model was offered from: 06/13 to 06/13

Ratings

M-Rating: M4

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M4 Compatibility

Remarks

Handset 35: Motorola IC502 (Buzz)

Handset Maker

Motorola

Handset Model Name FCC ID

IC502 (Buzz) AZ489FT7019

Air Interfaces/Frequency Bands

850 MHz CDMA 1900 MHz CDMA

Dates

This handset model was offered from: 02/13 to 12/13

M-Rating: M4

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M4 Compatibility

Remarks

Handset 36: Motorola ic902 DELUXE

Handset Maker

Motorola

Handset Model Name FCC ID

ic902 DELUXE IHDT56GP1

Air Interfaces/Frequency Bands

850 MHz CDMA 1900 MHz CDMA

Dates

This handset model was offered from: 02/13 to 02/13

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M4 & T4 Compatibility

Remarks

Handset 37: Motorola K1M (KRZR)

Handset Maker

Motorola

Handset Model Name FCC ID

K1M (KRZR) IHDT56GH1

850 MHz CDMA 1900 MHz CDMA

Dates

This handset model was offered from: 08/13 to 08/13

Ratings

M-Rating: M3

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M3 Compatibility

Remarks

Handset 38: Motorola Q

Handset Maker

Motorola

Handset Model Name FCC ID

Q IHDT56FQ1

Air Interfaces/Frequency Bands

850 MHz CDMA 1900 MHz CDMA

Dates

This handset model was offered from: 01/13 to 10/13

M-Rating: M3

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M3 Compatibility

Remarks

Handset 39: Motorola Q9c

Handset Maker

Motorola

Handset Model Name FCC ID

Q9c IHDT56HS1

Air Interfaces/Frequency Bands

850 MHz CDMA 1900 MHz CDMA

Dates

This handset model was offered from: 01/13 to 11/13

Ratings

M-Rating: M3

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M3 Compatibility

Remarks

Handset 40: Motorola V3m RAZR

Handset Maker

Motorola

Handset Model Name FCC ID

V3m RAZR IHDT56FT1

850 MHz CDMA 1900 MHz CDMA

Dates

This handset model was offered from: 01/13 to 06/13

Ratings

M-Rating: M3

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M3 Compatibility

Remarks

Handset 41: Motorola V950 (Renegade)

Handset Maker

Motorola

Handset Model Name FCC ID

V950 (Renegade) IHDT56JA1

Air Interfaces/Frequency Bands

850 MHz CDMA 1900 MHz CDMA

Dates

This handset model was offered from: 02/13 to 11/13

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M4 & T4 Compatibility

Remarks

Handset 42: Motorola V950A

Handset Maker

Motorola

Handset Model Name FCC ID

V950A IHDT56JA1

Air Interfaces/Frequency Bands

850 MHz CDMA 1900 MHz CDMA

Dates

This handset model was offered from: 02/13 to 12/13

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M4 & T4 Compatibility

Remarks

Handset 43: Motorola V950E

Handset Maker

Motorola

Handset Model Name FCC ID

V950E IHDT56JA1

850 MHz CDMA 1900 MHz CDMA

Dates

This handset model was offered from: 02/13 to 11/13

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M4 & T4 Compatibility

Remarks

Handset 44: Motorola V9m RAZR2

Handset Maker

Motorola

Handset Model Name FCC ID

V9m RAZR2 IHDT56HT1

Air Interfaces/Frequency Bands

850 MHz CDMA 1900 MHz CDMA

Dates

This handset model was offered from: 06/13 to 12/13

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M4 & T4 Compatibility

Remarks

Handset 45: Motorola VE20 (Razr)

Handset Maker

Motorola

Handset Model Name FCC ID

VE20 (Razr) IHDT56JM1

Air Interfaces/Frequency Bands

850 MHz CDMA 1900 MHz CDMA

Dates

This handset model was offered from: 12/13 to 12/13

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M4 & T4 Compatibility

Remarks

Handset 46: Motorola WX430 (Theory)

Handset Maker

Motorola

Handset Model Name FCC ID

WX430 (Theory) IHDT56MU1

850 MHz CDMA 1900 MHz CDMA

Dates

This handset model was offered from: 01/13 to 05/13

Ratings

M-Rating: M3

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M3 & T3 Compatibility

Remarks

Handset 47: Novatel U760

Handset Maker

Novatel

Handset Model Name FCC ID

U760 BEJVS760

Air Interfaces/Frequency Bands

850 MHz CDMA 1900 MHz CDMA

Dates

This handset model was offered from: 07/13 to 07/13

M-Rating: M3

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M3 Compatibility

Remarks

Handset 48: Palm 690

Handset Maker

Palm

Handset Model Name FCC ID

690 O8F-747

Air Interfaces/Frequency Bands

850 MHz CDMA 1900 MHz CDMA

Dates

This handset model was offered from: 01/13 to 12/13

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M4 & T4 Compatibility

Remarks

Handset 49: Palm 700

Handset Maker

Palm

Handset Model Name FCC ID

700 O8FJIMI

850 MHz CDMA 1900 MHz CDMA

Dates

This handset model was offered from: 01/13 to 12/13

Ratings

M-Rating: M3

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M3 Compatibility

Remarks

Handset 50: Palm 700w

Handset Maker

Palm

Handset Model Name FCC ID

700w O8FJIMI

Air Interfaces/Frequency Bands

850 MHz CDMA 1900 MHz CDMA

Dates

This handset model was offered from: 01/13 to 12/13

M-Rating: M3

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M3 Compatibility

Remarks

Handset 51: Palm 755p

Handset Maker

Palm

Handset Model Name FCC ID

755p O8F-895

Air Interfaces/Frequency Bands

850 MHz CDMA 1900 MHz CDMA

Dates

This handset model was offered from: 01/13 to 10/13

Ratings

M-Rating: M3

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M3 & T4 Compatibility

Remarks

Handset 52: Palm 800

Handset Maker

Palm

Handset Model Name	FCC ID

800 O8F-715

850 MHz CDMA 1900 MHz CDMA

Dates

This handset model was offered from: 01/13 to 09/13

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M4 & T4 Compatibility

Remarks

Handset 53: Palm Treo 850

Handset Maker

Palm

Handset Model Name FCC ID

Treo 850 O8F-SKYC

Air Interfaces/Frequency Bands

850 MHz CDMA 1900 MHz CDMA

Dates

This handset model was offered from: 01/13 to 05/13

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M3 & T4 Compatibility

Remarks

Handset 54: Palm Treo800

Handset Maker

Palm

Handset Model Name FCC ID

Treo800 O8F-715

Air Interfaces/Frequency Bands

850 MHz CDMA 1900 MHz CDMA

Dates

This handset model was offered from: 01/13 to 08/13

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M4 & T4 Compatibility

Remarks

Handset 55: Pantech CDM-8964 (Shuttle)

Handset Maker

Pantech

Handset Model Name FCC ID
CDM-8964 (Shuttle) PP4IM

850 MHz CDMA 1900 MHz CDMA

Dates

This handset model was offered from: 02/13 to 02/13

Ratings

M-Rating: M3

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M3 Compatibility

Remarks

Handset 56: Pantech CDM8074

Handset Maker

Pantech

Handset Model Name FCC ID

CDM8074 PP4X1

Air Interfaces/Frequency Bands

850 MHz CDMA 1900 MHz CDMA

Dates

This handset model was offered from: 01/13 to 03/13

M-Rating: M4

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M4 Compatibility

Remarks

Handset 57: Research In Motion 7250

Handset Maker

Research In Motion

Handset Model Name FCC ID

7250 L6ARAR20CN

Air Interfaces/Frequency Bands

850 MHz CDMA 1900 MHz CDMA

Dates

This handset model was offered from: 01/13 to 01/13

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M4 & T4 Compatibility

Remarks

Handset 58: Research In Motion 8130

Handset Maker

Research In Motion

Handset Model Name FCC ID

8130 L6ARBS20CW

850 MHz CDMA 1900 MHz CDMA

Dates

This handset model was offered from: 01/13 to 04/13

Ratings

M-Rating: M3

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M3 & T3 Compatibility

Remarks

Handset 59: Research In Motion 8330

Handset Maker

Research In Motion

Handset Model Name FCC ID

8330 L6ARBU20CW

Air Interfaces/Frequency Bands

850 MHz CDMA 1900 MHz CDMA

Dates

This handset model was offered from: 01/13 to 10/13

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M4 & T4 Compatibility

Remarks

Handset 60: Research In Motion 8330A

Handset Maker

Research In Motion

Handset Model Name FCC ID

8330A L6ARBU20CW

Air Interfaces/Frequency Bands

850 MHz CDMA 1900 MHz CDMA

Dates

This handset model was offered from: 01/13 to 12/13

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M4 & T4 Compatibility

Remarks

Handset 61: Research In Motion 8330B

Handset Maker

Research In Motion

Handset Model Name FCC ID

8330B L6ARBU20CW

850 MHz CDMA 1900 MHz CDMA

Dates

This handset model was offered from: 01/13 to 12/13

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M4 & T4 Compatibility

Remarks

Handset 62: Research In Motion 8530

Handset Maker

Research In Motion

Handset Model Name FCC ID

8530 L6ARCL20CW

Air Interfaces/Frequency Bands

850 MHz CDMA 1900 MHz CDMA

Dates

This handset model was offered from: 04/13 to 04/13

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M4 & T4 Compatibility

Remarks

Handset 63: Research In Motion 8703E

Handset Maker

Research In Motion

Handset Model Name FCC ID

8703E L6ARBF20CW

Air Interfaces/Frequency Bands

850 MHz CDMA 1900 MHz CDMA

Dates

This handset model was offered from: 01/13 to 04/13

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M4 & T4 Compatibility

Remarks

Handset 64: Research In Motion 8830

Handset Maker

Research In Motion

Handset Model Name FCC ID

8830 L6ARBK40CG

850 MHz CDMA 1900 MHz CDMA

Dates

This handset model was offered from: 02/13 to 02/13

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M4 & T4 Compatibility

Remarks

Handset 65: Samsung A420

Handset Maker

Samsung

Handset Model Name FCC ID

A420 A3LSPHA420

Air Interfaces/Frequency Bands

850 MHz CDMA 1900 MHz CDMA

Dates

This handset model was offered from: 03/13 to 03/13

M-Rating: M3

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M3 Compatibility

Remarks

Handset 66: Samsung A580

Handset Maker

Samsung

Handset Model Name FCC ID

A580 A3LSPHA580

Air Interfaces/Frequency Bands

850 MHz CDMA 1900 MHz CDMA

Dates

This handset model was offered from: 01/13 to 01/13

Ratings

M-Rating: M3

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M3 Compatibility

Remarks

Handset 67: Samsung A640

Handset Maker

Samsung

Handset Model Name FCC ID

A640 A3LSPHA640S

850 MHz CDMA 1900 MHz CDMA

Dates

This handset model was offered from: 01/13 to 12/13

Ratings

M-Rating: M3

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M3 Compatibility

Remarks

Handset 68: Samsung A840

Handset Maker

Samsung

Handset Model Name FCC ID

A840 A3LSPHA840

Air Interfaces/Frequency Bands

850 MHz CDMA 1900 MHz CDMA

Dates

This handset model was offered from: 01/13 to 03/13

M-Rating: M3

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M3 Compatibility

Remarks

Handset 69: Samsung D600

Handset Maker

Samsung

Handset Model Name FCC ID

D600 A3LSPHD600

Air Interfaces/Frequency Bands

850 MHz CDMA 1900 MHz CDMA

Dates

This handset model was offered from: 07/13 to 07/13

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M4 & T4 Compatibility

Remarks

Handset 70: Samsung D710

Handset Maker

Samsung

Handset Model Name FCC ID

D710 A3LSPHD710

850 MHz CDMA 1900 MHz CDMA

Dates

This handset model was offered from: 06/13 to 11/13

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M4 & T3 Compatibility

Remarks

Handset 71: Samsung i325

Handset Maker

Samsung

Handset Model Name FCC ID

i325 A3LSPHI325

Air Interfaces/Frequency Bands

850 MHz CDMA 1900 MHz CDMA

Dates

This handset model was offered from: 01/13 to 01/13

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M3 & T3 Compatibility

Remarks

Handset 72: Samsung I350

Handset Maker

Samsung

Handset Model Name FCC ID

I350 A3LSPHI350

Air Interfaces/Frequency Bands

850 MHz CDMA 1900 MHz CDMA

Dates

This handset model was offered from: 01/13 to 12/13

Ratings

M-Rating: M3

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M3 & T3 Compatibility

Remarks

Handset 73: Samsung L710

Handset Maker

Samsung

Handset Model Name FCC ID

L710 A3LSPHL710

850 MHz CDMA 1900 MHz CDMA

Dates

This handset model was offered from: 09/13 to 09/13

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M4 & T4 Compatibility

Remarks

Handset 74: Samsung M220

Handset Maker

Samsung

Handset Model Name FCC ID

M220 A3LSPHM220

Air Interfaces/Frequency Bands

850 MHz CDMA 1900 MHz CDMA

Dates

This handset model was offered from: 01/13 to 12/13

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M4 & T4 Compatibility

Remarks

Handset 75: Samsung M240

Handset Maker

Samsung

Handset Model Name FCC ID

M240 A3LSPHM240

Air Interfaces/Frequency Bands

850 MHz CDMA 1900 MHz CDMA

Dates

This handset model was offered from: 01/13 to 12/13

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M4 & T4 Compatibility

Remarks

Handset 76: Samsung M260 (Factor)

Handset Maker

Samsung

Handset Model Name FCC ID

M260 (Factor) A3LSPHM260

850 MHz CDMA 1900 MHz CDMA

Dates

This handset model was offered from: 01/13 to 06/13

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M4 & T4 Compatibility

Remarks

Handset 77: Samsung M300

Handset Maker

Samsung

Handset Model Name FCC ID

M300 A3LSPHM300

Air Interfaces/Frequency Bands

850 MHz CDMA 1900 MHz CDMA

Dates

This handset model was offered from: 01/13 to 12/13

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M4 & T4 Compatibility

Remarks

Handset 78: Samsung M320

Handset Maker

Samsung

Handset Model Name FCC ID

M320 A3LSPHM320

Air Interfaces/Frequency Bands

850 MHz CDMA 1900 MHz CDMA

Dates

This handset model was offered from: 01/13 to 12/13

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M4 & T4 Compatibility

Remarks

Handset 79: Samsung M330

Handset Maker

Samsung

Handset Model Name FCC ID

M330 A3LSPHM330

850 MHz CDMA 1900 MHz CDMA

Dates

This handset model was offered from: 01/13 to 12/13

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M4 & T4 Compatibility

Remarks

Handset 80: Samsung M340 (Mantra)

Handset Maker

Samsung

Handset Model Name FCC ID

M340 (Mantra) A3LSPHM340

Air Interfaces/Frequency Bands

850 MHz CDMA 1900 MHz CDMA

Dates

This handset model was offered from: 02/13 to 10/13

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M4 & T4 Compatibility

Remarks

Handset 81: Samsung M350 (Seek)

Handset Maker

Samsung

Handset Model Name FCC ID

M350 (Seek) A3LSPHM350

Air Interfaces/Frequency Bands

850 MHz CDMA 1900 MHz CDMA

Dates

This handset model was offered from: 01/13 to 12/13

Ratings

M-Rating: M4

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M4 Compatibility

Remarks

Handset 82: Samsung M360

Handset Maker

Samsung

Handset Model Name FCC ID

M360 A3LSPHM360

850 MHz CDMA 1900 MHz CDMA

Dates

This handset model was offered from: 01/13 to 12/13

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M4 & T4 Compatibility

Remarks

Handset 83: Samsung M380

Handset Maker

Samsung

Handset Model Name FCC ID

M380 A3LSPHM380

Air Interfaces/Frequency Bands

850 MHz CDMA 1900 MHz CDMA

Dates

This handset model was offered from: 01/13 to 12/13

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M4 & T4 Compatibility

Remarks

Handset 84: Samsung M400

Handset Maker

Samsung

Handset Model Name FCC ID

M400 A3LSPHM400

Air Interfaces/Frequency Bands

850 MHz CDMA 1900 MHz CDMA

Dates

This handset model was offered from: 06/13 to 06/13

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M4 & T4 Compatibility

Remarks

Handset 85: Samsung M500

Handset Maker

Samsung

Handset Model Name FCC ID

M500 A3LSPHM500

850 MHz CDMA 1900 MHz CDMA

Dates

This handset model was offered from: 09/13 to 10/13

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M4 & T4 Compatibility

Remarks

Handset 86: Samsung M520

Handset Maker

Samsung

Handset Model Name FCC ID

M520 A3LSPHM520

Air Interfaces/Frequency Bands

850 MHz CDMA 1900 MHz CDMA

Dates

This handset model was offered from: 01/13 to 12/13

M-Rating: M4

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M4 Compatibility

Remarks

Handset 87: Samsung M540 (Rant)

Handset Maker

Samsung

Handset Model Name FCC ID

M540 (Rant) A3LSPHM540

Air Interfaces/Frequency Bands

850 MHz CDMA 1900 MHz CDMA

Dates

This handset model was offered from: 01/13 to 12/13

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M4 & T4 Compatibility

Remarks

Handset 88: Samsung M550 (Exclaim)

Handset Maker

Samsung

Handset Model Name FCC ID

M550 (Exclaim) A3LSPHM550

850 MHz CDMA 1900 MHz CDMA

Dates

This handset model was offered from: 01/13 to 12/13

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M4 & T3 Compatibility

Remarks

Handset 89: Samsung M560 (Reclaim)

Handset Maker

Samsung

Handset Model Name FCC ID

M560 (Reclaim) A3LSPHM560

Air Interfaces/Frequency Bands

850 MHz CDMA 1900 MHz CDMA

Dates

This handset model was offered from: 01/13 to 12/13

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M4 & T4 Compatibility

Remarks

Handset 90: Samsung M570 (Restore)

Handset Maker

Samsung

Handset Model Name FCC ID

M570 (Restore) A3LSPHM570

Air Interfaces/Frequency Bands

850 MHz CDMA 1900 MHz CDMA

Dates

This handset model was offered from: 01/13 to 12/13

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M4 & T3 Compatibility

Remarks

Handset 91: Samsung M575 (Restore)

Handset Maker

Samsung

Handset Model Name FCC ID

M575 (Restore) A3LSPHM575

850 MHz CDMA 1900 MHz CDMA

Dates

This handset model was offered from: 01/13 to 08/13

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M4 & T3 Compatibility

Remarks

Handset 92: Samsung M580

Handset Maker

Samsung

Handset Model Name FCC ID

M580 A3LSPHM580

Air Interfaces/Frequency Bands

850 MHz CDMA 1900 MHz CDMA

Dates

This handset model was offered from: 05/13 to 06/13

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M4 & T3 Compatibility

Remarks

Handset 93: Samsung M630 (Highnote)

Handset Maker

Samsung

Handset Model Name FCC ID

M630 (Highnote) A3LSPHM630

Air Interfaces/Frequency Bands

850 MHz CDMA 1900 MHz CDMA

Dates

This handset model was offered from: 01/13 to 09/13

Ratings

M-Rating: M4

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M4 Compatibility

Remarks

Handset 94: Samsung M800 (Instinct)

Handset Maker

Samsung

Handset Model Name FCC ID

M800 (Instinct) A3LSPHM800

850 MHz CDMA 1900 MHz CDMA

Dates

This handset model was offered from: 01/13 to 12/13

Ratings

M-Rating: M3

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M3 & T3 Compatibility

Remarks

Handset 95: Samsung M810 (Instinct S30)

Handset Maker

Samsung

Handset Model Name FCC ID

M810 (Instinct S30) A3LSPHM810

Air Interfaces/Frequency Bands

850 MHz CDMA 1900 MHz CDMA

Dates

This handset model was offered from: 01/13 to 12/13

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M4 & T3 Compatibility

Remarks

Handset 96: Samsung M850 (Instinct HD)

Handset Maker

Samsung

Handset Model Name FCC ID

M850 (Instinct HD) A3LSPHM850

Air Interfaces/Frequency Bands

850 MHz CDMA 1900 MHz CDMA

Dates

This handset model was offered from: 01/13 to 12/13

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M4 & T3 Compatibility

Remarks

Handset 97: Samsung M900 Moment

Handset Maker

Samsung

Handset Model Name FCC ID

M900 Moment A3LSPHM900

850 MHz CDMA 1900 MHz CDMA

Dates

This handset model was offered from: 01/13 to 12/13

Ratings

M-Rating: M4

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M4 Compatibility

Remarks

Handset 98: Samsung M910

Handset Maker

Samsung

Handset Model Name FCC ID

M910 A3LSPHM910

Air Interfaces/Frequency Bands

850 MHz CDMA 1900 MHz CDMA

Dates

This handset model was offered from: 01/13 to 12/13

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M4 & T3 Compatibility

Remarks

Handset 99: Samsung M920

Handset Maker

Samsung

Handset Model Name FCC ID

M920 A3LSPHM920

Air Interfaces/Frequency Bands

850 MHz CDMA 1900 MHz CDMA

Dates

This handset model was offered from: 01/13 to 12/13

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M4 & T3 Compatibility

Remarks

Handset 100: Samsung Z400

Handset Maker

Samsung

Handset Model Name FCC ID

Z400 A3LSPHZ400

850 MHz CDMA 1900 MHz CDMA

Dates

This handset model was offered from: 02/13 to 02/13

Ratings

M-Rating: M4

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M4 Compatibility

Remarks

Handset 101: Sanyo 6750X

Handset Maker

Sanyo

Handset Model Name FCC ID

6750X JOYSCP-6750

Air Interfaces/Frequency Bands

850 MHz CDMA 1900 MHz CDMA

Dates

This handset model was offered from: 01/13 to 12/13

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M4 & T4 Compatibility

Remarks

Handset 102: Sanyo M9300

Handset Maker

Sanyo

Handset Model Name FCC ID

M9300 V65M9300

Air Interfaces/Frequency Bands

850 MHz CDMA 1900 MHz CDMA

Dates

This handset model was offered from: 01/13 to 12/13

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M4 & T4 Compatibility

Remarks

Handset 103: Sanyo Pro 200

Handset Maker

Sanyo

Handset Model Name FCC ID

Pro 200 AEZSCP-PRO200

850 MHz CDMA 1900 MHz CDMA

Dates

This handset model was offered from: 01/13 to 12/13

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M4 & T4 Compatibility

Remarks

Handset 104: Sanyo Pro 700

Handset Maker

Sanyo

Handset Model Name FCC ID

Pro 700 AEZSCP-PRO700

Air Interfaces/Frequency Bands

850 MHz CDMA 1900 MHz CDMA

Dates

This handset model was offered from: 01/13 to 12/13

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M4 & T4 Compatibility

Remarks

Handset 105: Sanyo SCP-200

Handset Maker

Sanyo

Handset Model Name FCC ID

SCP-200 AEZSCP-02H

Air Interfaces/Frequency Bands

850 MHz CDMA 1900 MHz CDMA

Dates

This handset model was offered from: 01/13 to 03/13

Ratings

M-Rating: M3

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M3 Compatibility

Remarks

Handset 106: Sanyo SCP-2300

Handset Maker

Sanyo

Handset Model Name FCC ID

SCP-2300 AEZSCP-23H

850 MHz CDMA 1900 MHz CDMA

Dates

This handset model was offered from: 01/13 to 11/13

Ratings

M-Rating: M3

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M3 Compatibility

Remarks

Handset 107: Sanyo SCP-2400

Handset Maker

Sanyo

Handset Model Name FCC ID

SCP-2400 AEZSCP-24H

Air Interfaces/Frequency Bands

850 MHz CDMA 1900 MHz CDMA

Dates

This handset model was offered from: 01/13 to 12/13

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M4 & T4 Compatibility

Remarks

Handset 108: Sanyo SCP-2700 (Juno)

Handset Maker

Sanyo

Handset Model Name FCC ID

SCP-2700 (Juno) V65SCP-27H

Air Interfaces/Frequency Bands

850 MHz CDMA 1900 MHz CDMA

Dates

This handset model was offered from: 01/13 to 12/13

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M4 & T4 Compatibility

Remarks

Handset 109: Sanyo SCP-3100

Handset Maker

Sanyo

Handset Model Name FCC ID

SCP-3100 AEZSCP-31H

850 MHz CDMA 1900 MHz CDMA

Dates

This handset model was offered from: 01/13 to 12/13

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M4 & T4 Compatibility

Remarks

Handset 110: Sanyo SCP-3200

Handset Maker

Sanyo

Handset Model Name FCC ID

SCP-3200 AEZSCP-32H

Air Interfaces/Frequency Bands

850 MHz CDMA 1900 MHz CDMA

Dates

This handset model was offered from: 01/13 to 12/13

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M4 & T4 Compatibility

Remarks

Handset 111: Sanyo SCP-3800

Handset Maker

Sanyo

Handset Model Name FCC ID

SCP-3800 AEZSCP-3800

Air Interfaces/Frequency Bands

850 MHz CDMA 1900 MHz CDMA

Dates

This handset model was offered from: 01/13 to 12/13

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M4 & T4 Compatibility

Remarks

Handset 112: Sanyo SCP-3810 Mirro

Handset Maker

Sanyo

Handset Model Name FCC ID

SCP-3810 Mirro V65SCP-3810

850 MHz CDMA 1900 MHz CDMA

Dates

This handset model was offered from: 01/13 to 12/13

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M4 & T4 Compatibility

Remarks

Handset 113: Sanyo SCP-3820 (Vero)

Handset Maker

Sanyo

Handset Model Name FCC ID

SCP-3820 (Vero) V65SCP-3820

Air Interfaces/Frequency Bands

850 MHz CDMA 1900 MHz CDMA

Dates

This handset model was offered from: 01/13 to 12/13

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M4 & T4 Compatibility

Remarks

Handset 114: Sanyo SCP-6650

Handset Maker

Sanyo

Handset Model Name FCC ID

SCP-6650 AEZSCP-6650

Air Interfaces/Frequency Bands

850 MHz CDMA 1900 MHz CDMA

Dates

This handset model was offered from: 01/13 to 12/13

Ratings

M-Rating: M4

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M4 Compatibility

Remarks

Handset 115: Sanyo SCP-6760 (Incognito)

Handset Maker

Sanyo

Handset Model Name FCC ID

SCP-6760 (Incognito) V65SCP-6760

850 MHz CDMA 1900 MHz CDMA

Dates

This handset model was offered from: 02/13 to 12/13

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M4 & T4 Compatibility

Remarks

Handset 116: Sanyo SCP-6780 (Innuendo)

Handset Maker

Sanyo

Handset Model Name FCC ID

SCP-6780 (Innuendo) V65SCP-6780

Air Interfaces/Frequency Bands

850 MHz CDMA 1900 MHz CDMA

Dates

This handset model was offered from: 01/13 to 12/13

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M4 & T4 Compatibility

Remarks

Handset 117: Sanyo SCP-7000

Handset Maker

Sanyo

Handset Model Name FCC ID

SCP-7000 AEZSCP-70H

Air Interfaces/Frequency Bands

850 MHz CDMA 1900 MHz CDMA

Dates

This handset model was offered from: 01/13 to 04/13

Ratings

M-Rating: M3

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M3 & T3 Compatibility

Remarks

Handset 118: Sanyo SCP-7050

Handset Maker

Sanyo

Handset Model Name FCC ID

SCP-7050 AEZSCP-7050

850 MHz CDMA 1900 MHz CDMA

Dates

This handset model was offered from: 01/13 to 11/13

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M4 & T4 Compatibility

Remarks

Handset 119: Sanyo SCP-8400

Handset Maker

Sanyo

Handset Model Name FCC ID

SCP-8400 AEZSCP-84H

Air Interfaces/Frequency Bands

850 MHz CDMA 1900 MHz CDMA

Dates

This handset model was offered from: 01/13 to 12/13

M-Rating: M4

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M4 Compatibility

Remarks

Handset 120: Sanyo SCP-8500

Handset Maker

Sanyo

Handset Model Name FCC ID

SCP-8500 AEZSCP-85H

Air Interfaces/Frequency Bands

850 MHz CDMA 1900 MHz CDMA

Dates

This handset model was offered from: 01/13 to 11/13

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M4 & T4 Compatibility

Remarks

Handset 121: Sanyo SCP-8600 (Zio)

Handset Maker

Sanyo

Handset Model Name FCC ID

SCP-8600 (Zio) V65SCP-8600

850 MHz CDMA 1900 MHz CDMA

Dates

This handset model was offered from: 01/13 to 12/13

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M4 & T3 Compatibility

Remarks

Handset 122: Sanyo SCP-E4100 (Taho)

Handset Maker

Sanyo

Handset Model Name FCC ID

SCP-E4100 (Taho) V65E4100

Air Interfaces/Frequency Bands

850 MHz CDMA 1900 MHz CDMA

Dates

This handset model was offered from: 01/13 to 12/13

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M4 & T4 Compatibility

Remarks

Handset 123: Sanyo SCP-M9300

Handset Maker

Sanyo

Handset Model Name FCC ID

SCP-M9300 V65M9300

Air Interfaces/Frequency Bands

850 MHz CDMA 1900 MHz CDMA

Dates

This handset model was offered from: 01/13 to 12/13

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M4 & T4 Compatibility

Remarks

Handset 124: Sanyo SCP5600

Handset Maker

Sanyo

Handset Model Name FCC ID

SCP5600 AEZSCP-56H

850 MHz CDMA 1900 MHz CDMA

Dates

This handset model was offered from: 01/13 to 02/13

Ratings

M-Rating: M4

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M4 Compatibility

Remarks

Handset 125: Sanyo SCP6750

Handset Maker

Sanyo

Handset Model Name FCC ID

SCP6750 JOYSCP-6750

Air Interfaces/Frequency Bands

850 MHz CDMA 1900 MHz CDMA

Dates

This handset model was offered from: 01/13 to 12/13

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M4 & T4 Compatibility

Remarks

Handset 126: Sanyo SCP6750X

Handset Maker

Sanyo

Handset Model Name FCC ID

SCP6750X JOYSCP-6750

Air Interfaces/Frequency Bands

850 MHz CDMA 1900 MHz CDMA

Dates

This handset model was offered from: 01/13 to 12/13

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M4 & T4 Compatibility

Remarks

Handset 127: UT Starcom CDM-120

Handset Maker

UT Starcom

Handset Model Name FCC ID

CDM-120 O6Y-CDM7025

850 MHz CDMA 1900 MHz CDMA

Dates

This handset model was offered from: 01/13 to 12/13

Ratings

M-Rating: M3

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M3 Compatibility

Remarks

Handset 128: UT Starcom MP6900

Handset Maker

UT Starcom

Handset Model Name FCC ID

MP6900 NM8VOGU100

Air Interfaces/Frequency Bands

850 MHz CDMA 1900 MHz CDMA

Dates

This handset model was offered from: 06/13 to 07/13

M-Rating: M3

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M3 Compatibility

Remarks

Handset 129: UT Starcom MP6950

Handset Maker

UT Starcom

Handset Model Name FCC ID

MP6950 NM8DIAM400

Air Interfaces/Frequency Bands

850 MHz CDMA 1900 MHz CDMA

Dates

This handset model was offered from: 01/13 to 04/13

Ratings

M-Rating: M4

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M4 Compatibility

Remarks

Handset 130: UT Starcom PPC-6800

Handset Maker

UT Starcom

Handset Model Name FCC ID

PPC-6800 NM8TITA100

850 MHz CDMA 1900 MHz CDMA

Dates

This handset model was offered from: 01/13 to 01/13

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M4 & T4 Compatibility

Remarks

Handset 131: UT Starcom VM1450

Handset Maker

UT Starcom

Handset Model Name FCC ID

VM1450 O6Y-CDM1450

Air Interfaces/Frequency Bands

850 MHz CDMA 1900 MHz CDMA

Dates

This handset model was offered from: 02/13 to 04/13

M-Rating: M3

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M3 Compatibility

Remarks

Certification

This Report has been certified by:

Joseph Fernandez President 01/14/2014 02:26 PM